§180.183 O,O-Diethyl S-[2-(ethylthio)ethyl] phosphorodithioate; tolerances for residues. (As of 10/26/98)

(a) General. (1) Tolerances are established for the combined residues of the insecticide 0,0-diethyl S-[2-(ethylthio)ethyl] phosphorodithioate and its cholinesterase-inhibiting metabolites, calculated as demeton, in or on the following raw agricultural commodities:

| Commodity | Parts per mil- lion |
|-----------------------------|---------------------------|
| Barley, grain | 0.75 |
| Barley, straw | 5.0 |
| Beans, dry | 0.75 |
| Beans, lima | 0.75 |
| Beans, snap | 0.75 |
| Beans, vines | 5.0 |
| Beets, sugar, roots | 0.5 |
| Beets, sugar, tops | 2.0 |
| Broccoli | 0.75 |
| Brussels sprouts | 0.75 |
| Cabbage | 0.75 |
| Cauliflower | 0.75 |
| Coffee beans | 0.3 |
| Corn, field, fodder | 5.0 |
| Corn, field, forage | 5.0 |
| Corn, grain | 0.3 |
| Corn, pop | 0.3 |
| Corn, pop, fodder | 5.0 |
| Corn, pop, forage | 5.0 |
| Corn, sweet, fodder | 5.0 |
| Corn, sweet, forage | 5.0 |
| Corn, sweet, grain (K+CWHR) | 0.3 |
| Cottonseed | 0.75 |
| Hops | 0.5 |
| Lettuce | 0.75 |
| Oats, fodder, green | 5.0 |
| Oats, grain | 0.75 |
| Oats, straw | 5.0 |
| Peanuts | 0.75 |
| Peas | 0.75 |
| Peas, vines | 5.0 |
| Pecans | 0.75 |
| Peppers | 0.1 |
| Pineapples | 0.75 |
| Pineapples, foliage | 5.0 |
| Potatoes | 0.75 |
| Rice | 0.75 |

| Commodity | Parts per mil- lion |
|----------------------|---------------------------|
| Rice, straw | 5.0 |
| Sorghum, fodder | 5.0 |
| Sorghum, forage | 5.0 |
| Sorghum, grain | 0.75 |
| Soybeans | 0.1 |
| Soybeans, forage | 0.25 |
| Soybeans, hay | 0.25 |
| Spinach | 0.75 |
| Sugarcane | 0.3 |
| Tomatoes | 0.75 |
| Wheat, fodder, green | 5.0 |
| Wheat, grain | 0.3 |
| Wheat, straw | 5.0 |

- (2) Tolerances for residues of *O,O*-diethyl *S*-2-(ethylthio)ethyl phosphorodithioate, calculated as demeton, in ingredients for livestock feed are established as follows:
- (i) 5 parts per million in dehydrated sugar beet pulp when present therein as a result of the application of the pesticide to the growing agricultural crop, provided that, if residues of demeton are also present, the total of both residues shall not exceed 5 parts per million.
- (ii) 5 parts per million in pineapple bran when present therein as a result of the application of the insecticide in the production of pineapples.
- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. Tolerances with regional registration, as defined in § 180.1(n), are established for the combined residues of *O,O*-diethyl *S*-[2-(ethylthio)ethyl] phosphorodithioate and its cholinesterase-inhibiting metabolites, calculated as demeton, in or on the following raw agricultural commodities:

| Со | mmodity | Parts per million |
|-----------|---------|----------------------|
| Asparagus | | 0.1 |

(d) Indirect or inadvertent residues. [Reserved]